SPRUCE TOWNHOME



STYLE A1 - 1453 SQ.FT.



STYLE B1 - 1446 SQ.FT.



STYLE C1 - 1449 SQ.FT.











STYLE A1 - 1453 SQ.FT. STYLE B1 - 1446 SQ.FT. STYLE C1 - 1449 SQ.FT.

D



MAIN FLOOR PLAN STYLE A1

SECOND FLOOR PLAN STYLE A1



EMPIRELEGACY

BASEMENT PLAN STYLE A1

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'A1' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 207-29

SPRUCE END TOWNHOME



STYLE A1 - 1493 SQ.FT.



STYLE B1 - 1485 SQ.FT.



STYLE C1 - 1488 SQ.FT.







SPRUCE END TOWNHOME

STYLE A1 - 1493 SQ.FT. STYLE B1 - 1485 SQ.FT. STYLE C1 - 1488 SQ.FT.







EMPIRELEGACY

STYLE A1

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'A1' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 20T-29 END

TRILLIUM CORNER TOWNHOME



STYLE A1 - 1533 SQ.FT.



STYLE B1 - 1570 SQ.FT.



STYLE C1 - 1563 SQ.FT.








STYLE A1 - 1533 SQ.FT. STYLE B1 - 1570 SQ.FT. STYLE C1 - 1563 SQ.FT.





EMPIRELEGACY

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'C1' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 20T-30 COR

WALLFLOWER TOWNHOME



STYLE A1 - 1618 SQ.FT.



STYLE B1 - 1614 SQ.FT.



STYLE C1 - 1614 SQ.FT.









WALLFLOWER TOWNHOME

STYLE A1 - 1618 SQ.FT. STYLE B1 - 1614 SQ.FT. STYLE C1 - 1614 SQ.FT.



OPT.3-PC ROUGH-IN BATH



EMPIRELEGACY

BASEMENT PLAN STYLE A1

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'A1' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 20T-31

WALLFLOWER END TOWNHOME



STYLE A1 - 1662 SQ.FT.



STYLE B1 - 1658 SQ.FT.



STYLE C1 - 1658 SQ.FT.





WALLFLOWER END TOWNHOME


STYLE A1 - 1662 SQ.FT. STYLE B1 - 1658 SQ.FT. STYLE C1 - 1658 SQ.FT.







All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'A1' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. July 2021. E. & O. E. 20T-31 END



ROBSON SEMI-DETACHED



STYLE A1 - 1647 SQ.FT.







STYLE B1 - 1648 SQ.FT. / STYLE B2 - 1668 SQ. FT.

STYLE C1 - 1664 SQ.FT. / STYLE C2 - 1653 SQ.FT.




STYLE A1 - 1647 SQ.FT. STYLE B1 - 1648 SQ.FT. STYLE B2 - 1668 SQ.FT. STYLE C1 - 1664 SQ.FT. STYLE C2 - 1653 SQ.FT.





MAIN FLOOR PLAN STYLE A1



BASEMENT PLAN <mark>STYLE A1</mark>

EMPIRELEGACY

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'A1' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E.&O.E. 25S-01

BIRCHDALE SEMI-DETACHED



STYLE A1 - 1744 SQ.FT. / STYLE A2 - 1754 SQ.FT.





STYLE B1 - 1752 SQ.FT.

STYLE C1 - 1767 SQ.FT. / STYLE C2 - 1760 SQ.FT.



BIRCHDALE SEMI-DETACHED

STYLE A1 - 1744 SQ.FT. STYLE A2 - 1754 SQ.FT. STYLE B1 - 1752 SQ.FT. STYLE C1 - 1767 SQ.FT. STYLE C2 - 1760 SQ.FT.



EMPIRELEGACY

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'A1' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021 E.&O.E. 25S-02

BIRCHDALE CORNER SEMI-DETACHED



STYLE A - 1800 SQ.FT.









STYLE B - 1871 SQ.FT.




BIRCHDALE CORNER SEMI-DETACHED

STYLE A - 1800 SQ.FT. STYLE B - 1871 SQ.FT. STYLE C - 1853 SQ.FT.





SECOND FLOOR PLAN STYLE A



UNFINISHED BASEMENT

UP

BASEMENT PLAN STYLE A



All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style % of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E.&O.E. 25S-02 COR

NEWBROOK SEMI-DETACHED



STYLE A1 - 1821 SQ.FT.






STYLE B1 - 1821 SQ.FT. / STYLE B2 - 1841 SQ. FT.


STYLE C1 - 1832 SQ.FT.






NEWBROOK SEMI-DETACHED

STYLE A1 - 1821 SQ.FT. STYLE B1 - 1821 SQ.FT. STYLE B2 - 1841 SQ.FT. STYLE C1 - 1832 SQ.FT.





SECOND FLOOR PLAN STYLE A1

EMPIRELEGACY

STYLE A1

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'A1' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E.&O.E. 25S-03

KENORA SEMI-DETACHED



STYLE A1 - 1914 SQ.FT. / STYLE A2 - 1904 SQ.FT.





STYLE B1 - 1914 SQ.FT. / STYLE B2 - 1904 SQ.FT.

STYLE C1 - 1917 SQ.FT. / STYLE C2 - 1914 SQ.FT.



KENORA SEMI-DETACHED

STYLE A1 - 1914 SQ.FT.	STYLE A2 - 1904 SQ.FT.
STYLE B1 - 1914 SQ.FT.	STYLE B2 - 1904 SQ.FT.
STYLE C1 - 1917 SQ.FT.	STYLE C2 - 1914 SQ.FT.



BASEMENT PLAN
STYLE A1

EMPIRELEGACY

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'A1' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E.&O.E. 25S-04



STYLE A - 1712 SQ.FT.








STYLE B - 1721 SQ.FT.


STYLE C - 1725 SQ.FT.






STYLE A







SECOND FLOOR PLAN



MAPLE 33'

6' PATIO DOOR

STYLE A - 1712 SQ.FT. STYLE B - 1721 SQ.FT. STYLE C - 1725 SQ.FT.

BASEMENT PLAN STYLE A



All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style X of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 33-1



STYLE A - 1898 SQ.FT.






STYLE B - 1893 SQ.FT.

STYLE C - 1903 SQ.FT.






MAIN FLOOR PLAN STYLE A









BASEMENT PLAN STYLE A

EMPIRELEGACY

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style X of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 33-2

DOGWOOD CORNER 33'



STYLE A - 2000 SQ.FT.






STYLE B - 2020 SQ.FT.




DOGWOOD CORNER 33'


STYLE A - 2000 SQ.FT. STYLE B - 2020 SQ.FT. STYLE C - 2034 SQ.FT.




STYLE A



SECOND FLOOR PLAN STYLE A





BASEMENT PLAN STYLE A



All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style X of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 33-3 COR





STYLE A - 2194 SQ.FT.




STYLE B - 2177 SQ.FT.


STYLE C - 2182 SQ.FT.



STYLE A - 2194 SQ.FT. STYLE B - 2177 SQ.FT. STYLE C - 2182 SQ.FT.



MAIN FLOOR PLAN STYLE A



UNFINISHED BASEMENT

BASEMENT PLAN STYLE A

EMPIRELEGACY

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style X of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 33-6

ROSEBERY 33'



STYLE A - 2307 SQ.FT.






STYLE B - 2309 SQ.FT.

STYLE C - 2311 SQ.FT.



ROSEBERY 33'


STYLE A - 2307 SQ.FT. STYLE B - 2309 SQ.FT. STYLE C - 2311 SQ.FT.





SECOND FLOOR PLAN STYLE A

MAIN FLOOR PLAN STYLE A



EMPIRELEGACY

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style X of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 33-7

BAREBARRY 38'



STYLE A - 2207 SQ.FT.






STYLE B - 2224 SQ.FT.

STYLE C - 2233 SQ.FT.

EMPIRELEGACY



STYLE A



6' PATIO DOOR (OPT. 8')

BREAKFAST 13'-6" x 10'-0"

्तर्ददार्ग

BASEMENT PLAN STYLE A



All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'A' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 38-18

MEADOWSWEET 38'



STYLE A - 2382 SQ.FT.






STYLE B - 2380 SQ.FT.

STYLE C - 2383 SQ.FT.






STYLE A

MAIN FLOOR PLAN





BASEMENT PLAN STYLE A

ш **EMPIRELEGACY**

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style X of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 38-19

POPPY CORNER 38'




STYLE A - 2526 SQ.FT.




STYLE B - 2515 SQ.FT.


STYLE C - 2515 SQ.FT.






STYLE A





STYLE A - 2526 SQ.FT. STYLE B - 2515 SQ.FT. STYLE C - 2515 SQ.FT.



BASEMENT PLAN STYLE A



All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style X of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021 E. & O. E. 38-20 COR

HONEYSUCKLE 38'



STYLE A - 2654 SQ.FT.





STYLE B - 2660 SQ.FT.


STYLE C - 2661 SQ.FT.






STYLE A - 2654 SQ.FT. STYLE B - 2660 SQ.FT. STYLE C - 2661 SQ.FT.







BASEMENT PLAN STYLE A

EMPIRELEGACY

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style X of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 38-21



STYLE A - 2816 SQ.FT.





STYLE B - 2817 SQ.FT.

STYLE C - 2820 SQ.FT.




IRIS 38'

STYLE A - 2816 SQ.FT. STYLE B - 2817 SQ.FT. STYLE C - 2820 SQ.FT.



MAIN FLOOR PLAN STYLE A

> UNFINISHED BASEMENT



EMPIRELEGACY

All renderings and illustrations are artist's concept. Specifications, terms, prices and conditions are subject to change without notice. Actual usable floor space may vary from the stated floor area. These floorplans and room dimensions apply to style 'A' of this model type and may vary according to style. Please see Sales Representative for details. Location of furnace, hot water tank and support posts and beams are determined by the HVAC designer and architect respectively. Number of exterior steps may vary depending on the lot and the grading of individual home sites. August 2021. E. & O. E. 38-22